

FLEXMAP 3D[®] Addendum (IVD)

This addendum should only be used in conjunction with the manuals listed below:

- FLEXMAP 3D[®] User Manual (89-00002-00-623 Rev. C)
- FLEXMAP 3D[®] Hardware User Manual (89-00002-00-520 Rev. B)
- xPONENT[®] 4.2 for FLEXMAP 3D[®] Software User Manual (89-00002-00-455 Rev. C)

The following updates apply:

Sodium Azide Warning



xMAP[®] Sheath Fluid PLUS (40-50035) contains, and other laboratory reagents can contain, sodium azide as a preservative. Sodium azide may react with lead and copper plumbing to form highly explosive metal azides. Refer to local guidelines and regulations for proper disposal of unused and used xMAP Sheath Fluid PLUS, as well as other laboratory reagents containing this preservative.

ProClin[®] Warning



xMAP[®] Sheath Fluid (40-50000) and the solution in which microspheres are stored contain ProClin[®], which may cause an allergic reaction. Use personal protective equipment, including gloves and safety glasses.

Additional Part Number added:

xMAP[®] Sheath Fluid PLUS, IVD: 40-50035



For *In Vitro* Diagnostic Use.

89-00002-00-712 Rev. D
09/2022

DiaSorin Italia S.p.A.
Via Crescentino snc
13040 Saluggia (VC) – Italy

Technical Support

Telephone: 512-381-4397
North America Toll Free: 1-877-785-2323
International Toll Free: + 800-2939-4959
E-mail: support@luminexcorp.com
www.luminexcorp.com



Luminex Corporation
12212 Technology Blvd.
Austin, Texas 78727
U.S.A.

© 2020-2022 Luminex Corporation, A DiaSorin Company. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, or translated into any language or computer language, in any form or by any means without prior express, written consent of Luminex Corporation.

Luminex, FLEXMAP 3D, xPONENT, and xMAP are trademarks of Luminex Corporation, registered in the U.S. and other countries. All other trademarks are trademarks of their respective companies.

Luminex Corporation (Luminex) reserves the right to modify its products and services at any time. Notifications will be sent to end users regarding changes that impact the use, performance and /or safety and effectiveness of the device. Any modifications to the device will be made in accordance with applicable regulatory requirements. Luminex assumes no liability for any damages resulting from the off-label application or misuse of this information.

This product, or use thereof, is covered, in whole or in part, or made by processes covered by one or more patents: www.luminexcorp.com/patents.